

QUICK - SHIP

Ready to ship Walk-in Coolers, Freezers & Combo Boxes





Quick-ship Products | Features & Options

Systèmes Norbec Inc.

Our offer

- Same high quality standard as Norbec's custom line.
- Standard nominal sizes
 (Width; starting at 5' / Depth; 5' to 12' available).
- Full length cooler injected screeds.
- Interchangeable door position.
- Cam locking Combo boxes.


Our promise to you

- 24 hour reliable customer
 Service and support.
- Trustworthy partnership.
- Innovative technologies.
- The best return on youre investment.



Thousands of configurations possible!

Size chart



| | 1 | 1 | | | | |
|---|-------------|-----------------------|-----------------------|----------------------|--------------|---|
| Norminal width (actual dimension) | Left corner | Wall or door panel | Wall or door panel | Wallor door panel | Right corner | Door position from ext. left corner |
| 5' (4'-11") | 6" | 47" (door) | | | 6" | 11 1/2" (Centered |
| 6' (5'-11") | 12" | 47" (door) | | | 12" | 17 1/2" (Centered |
| | 6" | 47" (door) | 11" | 11" | 6" | 11 1/2" |
| 7′ (6′-9″) | 6" | 11" | 47" (door) | 11" | 6" | 22 1/2" (Centere |
| | 6" | 11" | 11" | 47" (door) | 6" | 33 1/2" |
| | 12" | 47" (door) | 11" | 11" | 12" | 17 1/2" |
| 8' (7'-9") | 12" | 11" | 47" (door) | 11" | 12" | 28 1/2" (Centere |
| 0.57 | 12" | 11" | 11" | 47" (door) | 12" | 39 1/2" |
| | 6" | 47" (door) | 23" | 23" | 6" | 11 1/2" |
| 9' (8'-9") | 6" | 23" | 47" (door) | 23" | 6" | 34 1/2" (Centere |
| (0-5) | 6" | 23" | 23" | 47" (door) | 6" | 57 1/2" |
| | 12" | 47" (door) | 23" | 23" | 12" | 17 1/2" |
| 10' (9'-9'') | 12" | 23" | 47" (door) | 23" | 12" | 40 1/2" (Centore |
| 13.57 | 12" | 23" | 23" | 47" (door) | 12" | 63 1/2" |
| | 6" | 47" (door) | 47" | 23" | 6" | 11 1/2" |
| 11' | 6" | 23" | 47" (door) | 47" | 6" | 34 1/2" |
| (10'-9") | 6" | 47" | 47" (door) | 23" | 6" | 58 1/2" |
| | 6" | 23" | 47" | 47" (door) | 6" | 81 1/2" |
| | 12" | 47" (door) | 47" | 23" | 12" | 17 1/2" |
| 12' | 12" | 23" | 47" (door) | 47" | 12" | 40 1/2" |
| (11'-9") | 12" | 47" | 47" (door) | 23" | 12" | 64 1/2" |
| • | 12" | 23" | 47" | 47" (door) | 12" | 87 1/2" |


→ Other sizes available

- 13' (12'-9")
- 14' (13'-9")
- 15' (14'-9")

Contact info:



Quick-ship Products | Features & Options



Door position

We have different panel sizes, the position of the door can be very flexible depending on your projects needs.

Width Dimensions

| Α | В | B' | B" | В''' | В'''' | C | D |
|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------|--------------------|
| Left Corner | Wall or Door panel | Right Corner | Box Width (ft.) |
| 6 | 47 | | | | | 6 | 5' (4'-11") |
| 12 | 47 | | | | | 12 | 6' (5'-11") |
| 6 | 11 | 47 | | | 11 | 6 | 7' (6'-9") |
| 12 | 11 | 47 | | | 11 | 12 | 8' (7'-9") |
| 6 | 23 | 47 | | | 23 | 6 | 9' (8'-9") |
| 12 | 23 | 47 | | | 23 | 12 | 10' (9'-9") |
| 6 | 23 | 47 | 47 | | | 6 | 11' (10'-9") |
| 12 | 23 | 47 | 47 | | | 12 | 12' (11'-9") |
| 6 | 23 | 47 | 47 | | 23 | 6 | 13' (12'-8") |
| 12 | 23 | 47 | 47 | | 23 | 12 | 14' (13'-8") |
| 12 | 11 | 47 | 47 | 47 | | 12 | 15' (14'-8") |

Depth Dimensions

| E | F | F' | G | Н |
|-----------------|--------------------|--------------------|------------------|-----------------|
| Left Wall Panel | Wall or Door panel | Wall or Door panel | Right Wall panel | Box Depth (ft.) |
| 26 | | | 26 | 4-10 |
| 8 | 47 | | 8 | 5-9 |
| 47 | 47 | | 14 | 6-9 |
| 20 | 47 | | 20 | 7-9 |
| 26 | 47 | | 26 | 8-9 |
| 8 | 47 | 47 | 8 | 9-8 |
| 14 | 47 | 47 | 14 | 10-8 |
| 20 | 47 | 47 | 20 | 11-8 |

Norbec.com



Quick-ship Products | Features & Options

Systèmes Norbec Inc.

| WALK-IN FEATURES | BENEFITS |
|---|---|
| 3" thick panels made with galvanized 26 ga. steel (ULC & CSA approved). | The polyurethane composition of our panels eliminates humidity build-up that can cause mould. |
| Interchangeable door position. 36" x 78" standard man door (LH or RH available). | Offers better flexibility. |
| Door snubber (closer). | Energy & money saving. |
| Magnetic gasket. | Provides energy-efficient seals. |
| Self-closing door hinges. | Top of the line spring mechanism adds extra closing force to overcome air resistance on heavy walk-in doors. |
| Toggle-style light switch with light on indicator. | Practical & easy usage. |
| 2" Dial thermometer. | Gives clear and quick access to temperatures. |
| Heated vent (freezer only). | Regulates pressure to allow doors to open and close with ease and reduces stress on walk-in enclosure joints, reducing chance of leaks. |
| Vapour proof light fixture. | Durable impact-resistant fixtures. Includes a tough wire guard and a gasketed glass globe that seals out dust and other contaminants. |











| REFRIGERATION SYSTEM OPTIONS | BENEFITS |
|---|--|
| Conventional split system remote indoor air cooled | Basic model, easy maintenance. |
| 2. Top mount penthouse style self-contained system Factory pre-cut ceiling opening Factory pre-charged with refrigerant No drain required (self-condensation) Most units are pre-wired for plug-in style electrical (larger sized units must be hardwired) Adequate air space required above for proper ventilation of system (suggested clearance dimension listed on shop drawing) | Best seller, easy to install. Maximizes interior storage space. |
| 3. Outdoor remote air cooled split system* * Available on demand only | Ideal for small spaces where there's no room for air circulation. Heavy duty system built to resist severe conditions. |

| OPTIONS AVAILABLE | BENEFITS | | |
|--|---|--|--|
| 36" high interior/exterior 18 ga. galvanized steel kickplates | Protects from everyday dirt & damages on doors. | | |
| Floor spacers (1"). | Improves air circulation to prevent condensation. | | |
| Intelligence 3 module. - Door open light activation - High/Low alarm - Door open alarm - 9-volt battery back-up in the event of power failure - Panic alarm with backlit interior button - Temperature & alarm log | Many great features available. User-friendly. Energy efficient & money-saving solution. | | |
| 4 Years extended compressor warranty. | We offer high quality products & heavy duty materials | | |

| Systèmes Norbec Inc. 97, de Vaudreuil Street, Boucherville (Qc) J4B 1K7 1 877 667-2321 |
|---|
| |
| |
| |
| |
| For more information on our products, please visit our website at norbec.com. |
| To order your parts online and get information related to them, please vist https://shop.norbec.com/Magasin/en . |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| All information provided in the present document is available at the printing time. However, please note that following Systèmes Norbec's |