



PANEL WITH POLYISOCYANURATE (POLYURETHANE) CORE

Norex® architectural panels are high-energy-efficient insulated panels designed for building envelopes.





High-performance Norex® responds to more specific needs and is offered in three configurations: Norex®-L, Norex®-H, Norex®-S.

VALIDATED ECO-DECLARATION

Product's contribution to LEED® v4

PRODUCT SPECIFICATIONS	
References	Norex®-L, Norex®-H, Norex®-S
Final manufacturing location	Saint-Hyacinthe, QC J2S 8A2 CANADA
Composition	Pre-painted galvanized steel, polyurethane foam, sealants.
ATTRIBUTES	
Recycled Content	Pre-consumer: 20.2% - 20.6% Post-consumer: 32.7% - 33.2%
Sourcing of raw materials	The extraction locations of raw materials have been documented for 53.0% to 53.8% of the final product components, based on weight ratio.
FSC® Certification	N/A
Rapidly renewable materials	N/A
Biobased materials	N/A

ENVIRONMENTAL IMPACTS	
Life Cycle Assessment	March 2020
Product's carbon footprint	-
Environmental Product Declaration	Product specific, Type III ISO 14025:2006 April 2020- April 2025
INGREDIENTS AND EMISSIONS	
Declaration of chemical ingredients	1,000 ppm
Type of declaration	HPD® version 2.2 Health Product Declaration® January 2022 to January 2025
Emission test	-
VOCs	0 g/L - 49 g/L Depending on product used (Sealants applied in-house or on-site)
Formaldehyde	None
Others	-

PRODUCT SPECIFICATIONS	
Performance tests	CAN/ULC S101, S102, S126, S127, S134, S138, ASTM E84, FM 4880
Expected life	-
MANUFACTURER'S ENVIRONMENTAL MANAGEMENT	
ISO 14001 Certification	-
Extended Producer Responsibility (Take Back Program)	-
Corporate Sustainability Report (CSR : GRI, ISO 26000, BNQ 21000 or other)	-
CERTIFICATIONS AND CONFORMITIES	
	
	

For over 35 years, the Norbec Group has been offering innovative, value-added solutions to its customers' needs. With the introduction in 2008 of the Norex® and Noroc® lines, Norbec Architectural now offers a complete range of solutions for building envelopes that combine advances in insulation with construction expertise.

97, rue de Vaudreuil, Boucherville (Québec) J4B 1K7 CANADA
<https://norbec.com>

MasterFormat®: **07 42 43**
Validated Eco-Declaration:
VED17-1061-01
Original issue date: **2012/11**
Period of validity: **2021/09 to 2022/09**
©Copyright 2016 Vertima inc.



PRODUCT CONTRIBUTION SUMMARY

LEED® v4 requirements for Building Design + Construction (BD+C)

New Construction, Core and Shell, School, Retail, Data Centers, Warehouse and Distribution Centers, Hospitality and Healthcare.

LEED® v4 requirements for Interior Design + Construction (ID+C)

Commercial Interiors, Retail and Hospitality.

ENERGY AND ATMOSPHERE		PRODUCT CONTRIBUTIONS	
EA Prerequisite 2	Minimum Energy Performance Option 1: Whole-building energy simulation or at the scale of the rental space, according to the system Option 2: Prescriptive compliance: ASHRAE 50% Advanced Energy Design Guide Option 3: Prescriptive compliance: Advanced Buildings™ Core Performance™ Guide	Contribute	TECHNICAL PERFORMANCES The Norex® architectural panel contributes to this prerequisite. Its polyurethane insulation has a thermal insulation factor of R-8 per inch of thickness.
			TECHNICAL PERFORMANCES The Norex® architectural panel contributes to this credit. Its polyurethane insulation has a thermal insulation factor of R-8 per inch of thickness.
EA	Optimize Energy Performance Option 1: Whole-building energy simulation or at the scale of the rental space, according to the system BD+C (1-20 points) and ID+C (1-25 points) Option 2: Prescriptive compliance: ASHRAE Advanced Energy Design Guide BD+C (1-6 points) and ID+C (1-16 points)	Contribute	TECHNICAL PERFORMANCES The Norex® architectural panel contributes to this credit. Its polyurethane insulation has a thermal insulation factor of R-8 per inch of thickness.
			TECHNICAL PERFORMANCES The Norex® architectural panel contributes to this credit. Its polyurethane insulation has a thermal insulation factor of R-8 per inch of thickness.
MATERIALS AND RESOURCES		PRODUCT CONTRIBUTIONS	
MR	Building Product Disclosure and Optimization – Sourcing of Raw Materials Option 2: Leadership extraction practices (1 point) May also contribute to the location valuation factor if the product is extracted, manufactured and purchased within 160 km of the project site.	Contribute	ATTRIBUTES Recycled Content Pre-consumer (20.2% - 20.6%) Post-consumer (32.7% - 33.2%)
			INGREDIENTS AND EMISSIONS Under Renewal HPD® version 2.2 Health Product Declaration®
MR	Building Product Disclosure and Optimization – Material Ingredients Option 1: Material ingredients reporting (1 point) The Norex® architectural panel contributes with his Health Product Declarations® and is valued as 1 whole product out of the 20 needed for the purposes of credit achievement calculation.	Contribute	ENVIRONMENTAL IMPACTS Product-specific EPD (Type III) compliant with ISO 14025:2006
			ENVIRONMENTAL IMPACTS Product-specific EPD (Type III) compliant with ISO 14025:2006
MR	Building Product Disclosure and Optimization – Environmental Product Declaration (EPD) Option 1: Environmental Product Declaration (1 point) The Norbec™'s NOREX® Insulated Metal Panels contribute to this credit due to the availability of a product-specific EPD (Type III) and are valued as 1 whole product out of the 20 needed for the purposes of credit achievement calculation.	Contribute	ENVIRONMENTAL IMPACTS Product-specific EPD (Type III) compliant with ISO 14025:2006
			ENVIRONMENTAL IMPACTS Product-specific EPD (Type III) compliant with ISO 14025:2006

It is important to consider that the total amount of possible points reflects the number of achievable points in each credit category. The product itself cannot achieve this score, as defined above, but is considered as a beneficial element in order to achieve LEED® credits.

The data included in this Environmental Data Sheet has been provided by the client and the suppliers, who are responsible for its veracity and its integrity. Vertima follows a rigorous protocol, including an on-site audit of the factory, an audit of the manufacturer's supply chain documentation, and the analysis and validation of all supporting documents. However, Vertima cannot be held responsible for false or misleading information that may cause any loss or damage suffered, in all or in part, caused by errors and omissions relative to the data collection, compilation and/or interpretation. The analysis protocol used by Vertima is available on request.



ENVIRONMENTAL DATA SHEET

NOREX®



PRODUCT CONTRIBUTION SUMMARY

LEED® v4 requirements for Building Design + Construction (BD+C)

New Construction, Core and Shell, School, Retail, Data Centers, Warehouse and Distribution Centers, Hospitality and Healthcare.

LEED® v4 requirements for Interior Design + Construction (ID+C)

Commercial Interiors, Retail and Hospitality.

INDOOR ENVIRONMENTAL QUALITY

PRODUCT CONTRIBUTIONS

INDOOR ENVIRONMENTAL QUALITY		PRODUCT CONTRIBUTIONS	
EQ	Low-Emitting Materials Option 1: Product category calculations (1-3 points) Additional conditions apply for healthcare and schools. Batt insulation products may contain no added formaldehyde, including urea formaldehyde, phenol formaldehyde, and urea-extended phenol formaldehyde.	Do not contribute¹	INGREDIENTS AND EMISSIONS
			¹ Must be tested and determined compliant to the California Department of Public Health (CDPH) Standard Method v1.1-2010. (The Norex® architectural panel does not contain any added formaldehyde, including urea formaldehyde, phenol formaldehyde, and urea-extended phenol formaldehyde.)

It is important to consider that the total amount of possible points reflects the number of achievable points in each credit category. The product itself cannot achieve this score, as defined above, but is considered as a beneficial element in order to achieve LEED® credits.

The data included in this Environmental Data Sheet has been provided by the client and the suppliers, who are responsible for its veracity and its integrity. Vertima follows a rigorous protocol, including an on-site audit of the factory, an audit of the manufacturer's supply chain documentation, and the analysis and validation of all supporting documents. However, Vertima cannot be held responsible for false or misleading information that may cause any loss or damage suffered, in all or in part, caused by errors and omissions relative to the data collection, compilation and/or interpretation. The analysis protocol used by Vertima is available on request.

Validated Eco-Declaration:
VED17-1061-01
 Period of validity:
2021/09 to 2022/09

